



SAFETY DATA SHEET

Power Stripper

LTP/16

1. IDENTIFICATION OF PRODUCT & COMPANY

Product Name: POWER STRIPPER

Part No: LTP/16

Details of company: Lionheart Terracotta Products
Tone Industrial Estate
Milverton Road
Wellington
Somerset
TA21 0AN
Tel: 01823 666 213
Fax: 01823 665 685
Email: info@ltp-online.co.uk

2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME CAS No:	EC No. TLV/PEL	Content	Classification
2-BUTOXYETHANOL 111-76-2	203-905-0	1-5%	Xn;R20/21/22 Xi;R36/38
Sodium dioctyl benzo sulphosuccinate		1-5%	Xi;R36/38
TRIETHANOLAMINE		5-10%	Xi;R36

The full text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Aqueous copolymer emulsion, lightweight silica filler, surfactants, glycol and preservative.

3. HAZARD IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

PHYSICAL AND CHEMICAL HAZARDS

There are no ingredients in concentrations likely to constitute a hazard to health when the product is handled correctly. However users should be aware that contact with the skin may cause drying and slight irritation, also eye contact will cause irritation.

4. FIRST AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting eyelids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Power Stripper LTP/16

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer

7. HANDLING AND STORAGE

USAGE PRECAUTIONS:

Avoid spilling, skin and eye contact.

STORAGE:

Store in CLOSED ORIGINAL CONTAINER AT TEMPERATURES BETWEEN 5°C and 30°C.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

NAME	Std	LT-ppm	LT-mg/m3	ST-ppm	ST – mg/m3
2-BUTOZYETHANOL	OES	25 ppm(Sk)		50 ppm(Sk)	

INGREDIENT COMMENTS

OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit

PROTECTIVE EQUIPMENT

GLOVES:

Use suitable protective gloves if risk of skin contact.



ENGINEERING MEASURES: Provide adequate general and local exhaust ventilation.

EYES:

If risk of splashing, wear safety goggles or face shield.



OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENIC WORK PRACTICES:

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes wet or contaminated. No eating or drinking while working with this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

White Liquid

ODOUR:

Characteristic

SOLUBILITY:

Miscible with water.

RELATIVE DENSITY:

1.0-1.1 20

Ph-VALUE, CONC. SOLUTION 8-9

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal temperature conditions

MATERIALS TO AVOID

Strong Acids

Power Stripper LTP/16

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

No data is available for the product itself. However from long-term experience with this product type, no serious acute chronic effects have been evident from handling under industrial conditions.

INHALATION

Not expected to be a health risk via this route under normal use.

INGESTION

No harmful effects expected in amounts likely to be ingested by accident. May irritate and cause stomach pain, vomiting and diarrhoea.

SKIN CONTACT

Prolonged and frequent contact may cause redness and irritation.

EYE CONTACT

May cause temporary eye irritation

HEALTH WARNINGS

No specific health warnings noted.

12. ECOLOGICAL INFORMATION

ECOTOXICITY

No data on possible environmental effects have been found.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

GENERAL:	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
RAIL TRANSPORT NOTES:	Not classified
SEA TRANSPORT NOTES:	Not classified
AIR TRANSPORT NOTES:	Not classified
ADR LABEL NO:	0
MARINE POLLUTANT	No

15. REGULATORY INFORMATION

RISK PHRASES	NC	Not classified
SAFETY PHRASES	NC	Not classified
STATUTORY INSTRUMENTS	Chemicals (Hazard Information and Packaging) Regulations	
APPROVED CODE OF PRACTICE	Classification and Labelling of Substances and Preparations Dangerous for supply	
GUIDANCE NOTES	Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108)	

16. OTHER INFORMATION

REFERENCES: Issued by Chris Hayward
PRINTED: 06.10.2005
REV. NO/REPL.SDS GENERATED 001

RISK PHRASES IN FULL

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed
R36 Irritating to eyes
R36/38 Irritating to eyes and skin

*This data sheet is compiled to be of assistance but is without guarantee. Users are responsible for safe working.
 March 09*